
Index

- |, Alternatives, 105
- &&, And, 51–52, 316–317
- @@, Apply, 135
- @@@, Apply at level one, 137
- _, Blank, 96
- ___, BlankNullSequence, 100, 123
- ___, BlankSequence, 96, 100
- ;, CompoundExpression, 12, 29
- /;, Condition, 102, 161
- ==, Equal, 51, 190
- <<, Get, 380
- ≥, GreaterEqual, 51
- >, Greater, 51
- ++, Increment, 169
- ?, Information, 16
- <, Less, 51
- ≤, LessEqual, 51
- /@, Map, 134
- ||, Or, 52
- %, Out, 9
- [[...]], Part, 24–25, 72
- ^, Power, 10
- ..., Repeated, 105
- ..., RepeatedNull, 105
- ===, SameQ, 190
- =, Set, 43
- :=, SetDelayed, 44
- #, Slot, 176
- ;;, Span, 72
- ~~, StringExpression, 256
- <>, StringJoin, 248
- \t, (raw tab), 168
- ≠, Unequal, 51
- Abecedarian words, 268
- Aborting calculations, 15–16
- Abs, 35–36
- Accumulate, 32, 150
- Accuracy, 34
- Acyclic graphs, 189, 199
- Adjacency lists, 188
- Adjacency matrices, 144
- Adjacency structures, 188
- AdjacencyGraph, 65–66, 145
- AllTrue, 69
- Alternative input syntax, 13
- Alternatives (|), 105, 364
 - in string patterns, 259
- Amino acids, visualization of, 240, 302
- Anagrams, 252, 278, 280
 - efficiency of computations, 364
- And (&&), 51–52, 316–317

- AnyTrue, 69
- Append, 77
- Apply (@@), 135
- ArcLength, 119
- ArcTan, 329
- Area of triangles, 121, 332–333
- Arg, 36
- Argand diagram, 35
- ArrayPlot, 65
- Arrays
 - constant, ConstantArray, 66, 78, 346
 - creating, Array, 67
 - depth of, ArrayDepth, 71
 - in other languages, 90–91
 - operations on, 196
 - packed, 356
 - sparse, SparseArray, 66–67, 349
- Ascii characters, 244, 246
- Assignments, 43
 - compared with transformation rules, 111
 - delayed, 44
 - immediate, 43
 - parallel, 214
 - to list components, 78
- Associations
 - converting to lists, 85
 - creation of, 85
 - formatting values in, 173
 - keys, 85
 - looking up values, Lookup, 85
 - operating on, 87
 - sorting on keys, 87–88
 - sorting on values, 178
- Atomic expressions
 - graphs, 21–22
 - images, 22
 - numbers, 20–21
 - sparse arrays, 22
 - strings, 21
 - testing for, AtomQ, 20, 50
- Attributes, 55
 - clearing, ClearAttributes, 140
 - finding functions with, 184
 - Hold, 55
 - Listable, 55, 57
 - of mathematical constants, 36
 - Protected, 56
 - setting, SetAttributes, 56, 140, 356
- Autocorrelation, 230
- Auxiliary functions, 240
- Babbage, Charles, 57
- BaseForm, 37
- Begin, 383
- BeginPackage, 386
- Begriffsschrift, 19
- Benford's law, 82–83, 144
- BernoulliDistribution, 205, 216, 240
- Biased distributions, 41
- Bibliographies
 - creating with Association, 88
 - formatting values, 173
- Bigrams, 83–84, 255
- Binary exponentiation, 151
- Binary matrices, 199
 - computed in parallel, 367
- Binomial coefficients, 68
- Binomial, 348
- Bit operators, 53
 - BitOr, 53
 - BitXor, 53, 191
- Blanagrams, 277, 369
- Blank (_), 96
- BlankNullSequence (___), 96, 100, 123
- BlankSequence (_), 96, 100
- Blas routines, 355
- Block, 212
- Blokland, Frank, xvi
- Bond percolation, 240
- Boole, 66, 318
- Boolean operators, 51
- BooleanTable, 239
- Borges, Jorge L., 269
- Bounding boxes, points in plane and space, 144
- Bubble sort, 124
- C language
 - compared with *Mathematica*, 90–91
 - compilers, 375
 - pointers, 79
- Caenorhabditis elegans*, 193
- Caesar, Julius, 250
- Calculations, interrupting or aborting, 15–16
- Calkins, Harry, 302
- Car Talk*, 253
- Cartesian coordinates,
 - converting from polar angles to, 187

- Cartesian products,
 - using transformation rules, 115
- Cases
 - basic examples, 97, 197
 - level specification of, 101–102
- Cells
 - initialization, 388
 - printing, `CellPrint`, 89
- Center of mass, of random walk, 227
- `CentralMoment`, 228
- Centroids,
 - of clustered data, 201–204
 - of triangles, 179
 - visualizations of, 286
- Champernowne constant, 49
- Chandah-sutra*, 151
- `CharacterRange`, 244
- Characters, 249–250
- Chemicals
 - data for, `ChemicalData`, 325
 - positions of atoms, 325
 - radius of atoms, `VanDerWaalsRadius`,
 - 325–326
 - space-filling plots, 324, 342
- `ChiSquareDistribution`, 39
- Church, Alonzo, 133
- Ciphers
 - Caesar, 250
 - ciphertext, 250
 - mixed-alphabet substitution, 254
 - permutation, 251–252
 - substitution, 250
 - transposition, 254
 - XOR, 40, 247
- Circumcenter of triangles, 292, 342
- Circumsphere, 338
- Clearing
 - attributes, `ClearAttributes`, 140
 - attributes, messages, or options,
 - `ClearAll`, 140–141
 - values, 43
- Clipping, amplitudes in data, 173
- `CloseKernels`, 367
- Clustering data, 201
 - visualization of, 207
- Coleman, Ornette, 14
- Collatz sequences, 109, 173
 - package for, 392
- Collinear points, 291
- Collocation of words, 280
- Color wheel, 291
- `ColorData`, 203
 - CPK model, 326
- Comments, 14
- Compilation
 - autocompiling, `CompileOptions`, 361
 - of functions, `Compile`, 373
 - output of, `CompiledFunction`, 373
 - parallelizing, 374
 - runtime options for, 374
 - to C, `CompilationTarget`, 375
 - to listable functions, 374
 - to virtual machine, 373
 - tools for, `CompilePrint`, 375
- Complement, 80
- Complex numbers, 35
 - Argand diagram for, 35
 - conjugate, `Conjugate`, 35
 - converting to polar form, 40
 - imaginary part, `Im`, 35
 - length of, `Abs`, 35
 - phase angle, `Arg`, 35
 - random, 38
 - real part, `Re`, 35
 - visualization of, 339
- Composite numbers, 129, 185
- Compound expressions, 29
- Compound functions, 45
- Computation
 - symbolic vs. numeric, 353
 - threading, 368
- Computational geometry
 - convex hull, 312–313
 - point in polygon, 332
- Condition numbers, 215, 241
- Conditional expressions, `Condition (/;)`, 161
- Conditional functions
 - `If`, 159
 - nested, 163
 - `Piecewise`, 162
 - `Switch`, 164–165
 - `Which`, 164
- Conditional patterns, `Condition`, 102
- `Conjugate`, 11, 35–36
- `ConjugateTranspose`, 30–31

- ConnectedGraphQ, 50
- ConstantArray, 66, 78, 346
- Constants
 - attributes of, 36
 - localizing, With, 212
 - mathematical, 36
 - sorting, 124
- Contexts
 - current, \$Context, 383
 - exiting current, End, 384
 - global, 383
 - nested, 385
 - of symbols, Context, 383
 - path for, \$ContextPath, 383
 - private, 386–387
 - starting new, Begin, 383
- Contractions, 264
- Control objects
 - PopupMenu, 301
 - setter bars, 301
 - two-dimensional slider, Slider2D, 302–303, 377
- ControlType, 301
- Converting
 - associations to lists, Normal, 85
 - between number bases, 37, 186
 - character codes to strings, FromCharacterCode, 245
 - complex numbers to polar form, 40
 - contractions in strings, 264
 - date formats, 126, 216
 - expressions to strings, ToString, 244
 - list of digits to number, FromDigits, 37
 - lists to associations, Association, 85
 - polar angles to Cartesian coordinates, 187
 - sparse arrays to lists, Normal, 67
 - strings to binary codes, 40
 - strings to character codes, ToCharacterCode, 246
 - strings to expressions, ToExpression, 244
 - to packed arrays, Developer`ToPackedArray, 360
 - True/False to os and is, Boole, 66
- Convex hulls
 - boundary mesh region for, ConvexHullMesh, 313
 - ConvexHull, 312
 - to compute diameter of point set, 365
- Convex polygons, 332
- CoordinateBoundsArray, 69
- CoprimeQ, 54
- Count, 70, 108
- Counting
 - approaches, efficiency of, 348
 - binary matrices, 199, 367
 - change, 116, 129, 204
 - characters in strings, 254
 - iterations in loops, 171
 - nucleotides in sequences, 259
 - number of multiplies, MultiplyCount, 115
 - steps inside looping constructs, 352
- CPK model, for coloring atoms, 326
- Cross products, 121
- CSV file format, 118, 193, 219
- Cylinder, 288
- Darwin, Charles, 249
- Data
 - adding headers to tabular, 80–81
 - autocorrelated, 230
 - clipping values, 173
 - clustering, 201, 207
 - displaying tabular, Grid, 63
 - filtering, 117, 129
 - finding convex hull for, 312–313
 - fitting with linear model, 124–125
 - historical differences from mean, 130
 - missing, Missing, 126
 - nonnumeric values in, 108–109, 196
 - operating on arrays of, 196
 - removing outliers from, 108–109, 110, 117
 - scraping from web pages, 257
 - smoothing noise in, 371
 - spikes in, 180–181
 - visualizing, ArrayPlot, 65

Data sets

- avian influenza A (National Center for Biotechnology Information), 319
- beam deflection (NIST), 231–232
- C. elegans* (Dana-Farber Cancer Institute), 193
- historical land temperatures (NASA Goddard Institute for Space Studies), 219
- power grid (University of Florida sparse matrix collection), 65
- sea and land surface temperatures (Goddard Institute for Space Studies), 130
- serotonin (PubChem, National Center for Biotechnology Information), 325
- sunspot activity (Royal Observatory of Belgium), 125, 232
- text transcripts and tagged texts (British Academic Spoken English), 266–267
- water reservoirs (CA Dept. of Water Resources), 118

Dataset, 87

Dates

- conversion of, 126, 216
- difference between, `DateDifference`, 128
- list of, `DateList`, 126

Declarative style of programming, 6

Default values, 183

Defer, 28–29, 43

Definitions

- multiple, 47
- of variables, 41

Delayed assignments, `SetDelayed` (`:=`), 44Delayed rules, `RuleDelayed` (`:->`), 112

Delete, 74

DeleteCases, 98, 108

DeleteDuplicates, 80

Density of graphs, 54

Deploying packages, 388

Diameter of point sets, 144, 185

- computational efficiency, 365

Dice, visualization using transformation rules, 115

DictionaryLookup, 187, 268–269

Digit roots, 175

Digit sums, 175

`DigitCharacter`, 257

Dimensions, 70–71, 193, 289

Directive, 316

Directives, for graphics, 286

`DistanceFunction`, 240`DistributeDefinitions`, 370

Divergence, of vector field, 146

DNA

- bases used in random strings, 269
- computing GC ratios, 272
- displaying sequences of, 275
- sequence analysis, 272

Do, 166

- counting steps inside loop, 352

Documentation Center, 17

Dot plots, 317

- labeling, 341

- window (or block) size, 320, 340–341

Dot product, `Dot`, 141

Drop, 74

Duchamp, Marcel, 302

Dynamic, 297

Dynamic expressions

- constraining movement of, 303
- control objects for, 294
- locators, 294
- saving state, 300
- scoping of, `DynamicModule`, 299–300
- setting control type, `ControlType`, 301
- updating values within, 298

Dynamic programming, 155

`DynamicModule`, 299, 337

EdgeCount, 54

Eigenvalues, 30–31, 200

Eigenvectors, visualization of, 229, 342

`ElementData`, `VanDerWaalsRadius`, 325–326

Elements of lists, 60

Ellipsoids, 301

Encoding, text, 250

`EndPackage`, 387–388

Entropy, 41

Epicycloids, 341

Equal (`==`), 35, 51, 190

Equality

- of strings, 245
- testing for, `Equal` vs. `SameQ`, 35, 70

- Equilateral triangles, 216
- Eratosthenes, Sieve of, 223, 351–352
- Error messages, 220
- Errors, syntax coloring of, 14–15
- Euclidean algorithm,
 - for greatest common divisor, 174
- Euclidean plane, quadrants, 175
- Euler, Leonhard, 342, 371
- Euler lines, 342
- Eulerian numbers, 158–159
- Evaluate, 56
- Evaluation
 - deferring, `Defer`, 28–29, 43
 - of arguments to functions, 28
 - preventing, `HoldForm`, 29
 - releasing held, `ReleaseHold`, 29
 - sequence of, 28
 - tracing of, 30
- EvaluationMonitor, 170–171
- EvenQ, 50
- Except, 98, 197
- ExponentialMovingAverage, 187
- Exponentiation, notation for, $^$, 10
- Expressions, 20
 - atomic, 20
 - compound, 29
 - deferring evaluation of, 28–29
 - display of, 27
 - evaluation of, 8, 28
 - extracting parts of, 122
 - getting dimensions of, `Dimensions`, 70–71
 - head of, 20
 - internal form for, `FullForm`, 23
 - length of, `Length`, 23
 - levels of, `Level`, 26
 - mapping functions over, 134
 - nesting of, 30
 - normal, 22
 - parts of, 25, 72
 - structure of, 22
 - visualizing with `TreeForm`, 26
- FaceGrids, 288
- Factoring
 - integers, 145
 - large integers, 366
- FASTA file format, 318, 319, 341
 - importing, 273
- Fibonacci, Leonardo, 152
- Fibonacci numbers
 - computed iteratively, 174
 - defined recursively, 152
 - defined using dynamic programming, 155
 - definition, 104
 - fast computation with matrices, 172
 - leading digits of, 82–83, 144
 - negative integer indices, 158
 - speeding up computation of, 158
- Fibonacci words, 255
- Filtering data
 - removing nonnumeric elements, 108, 129
 - removing outliers, 117, 142
 - removing spikes, 181
 - using Gaussian kernel, `GaussianFilter`, 127
- FindClusters, 202
- FindFile, 382
- FindPeaks, 127–128
- FindShortestTour, 303, 331
- First, 74
- Fitting data, `LinearModelFit`, 125
- FixedPoint, 148
- Flatten, 77
- Fold, 150
- FoldList, 150
- For, 168, 224
- FreeQ, 69
- Frege, Gottlob, 19
- FromDigits, 37
- FullForm, 23
 - of strings, 244
- Function, 176
- Functions
 - alternate syntax for, 13
 - applying, `Apply`, 135
 - applying to lists, 74
 - argument checking, 165
 - auxiliary, 240
 - composition of, 30
 - compound, 45
 - definitions for, 41
 - evaluation of arguments, 28
 - indexed, `MapIndexed`, 182

- (Functions continued)
 - information about, 16
 - iterating, 146
 - listing all in System` context, 184
 - mapping of, 134
 - multiple definitions for, 47
 - nesting of, 30
 - piecewise-defined, 49, 162, 175
 - private, 237, 379
 - public, 237, 379, 387
 - pure, Function, 176
 - syntax of, 13
- Galileo Galilei, 125
- GaussianFilter, 127
- Gavioli, Anselmo, 19
- GC ratios, 259, 272
 - visualization of, 275
- GenBank file format, 277
- GenomeData, 271
- Get (<<), 380
- Global context, Global`, 383
- Golden ratio, as fixed point, 148–149
- Graphics
 - cached values in, 310
 - color wheels, 291
 - Directive, 316
 - directives, scope of, 286
 - displayed with Show, 290, 322–323
 - displaying, 285
 - efficient representation of, 303
 - internal box representation, 309
 - lighting of three-dimensional, 326–327
 - multi-objects, 303
 - numeric vs. symbolic values, 309
 - options, 287
 - primitives, 284
 - reflection of lights, Specularity, 326–327
 - reflection transforms, 290
 - representing with GraphicsComplex, 306
 - rotating, 147–148
 - space-filling plots, 324
 - structure of built-in, 122–123, 288
 - three-dimensional, 288
 - translation of, 148
 - used to visualize roots of functions, 314
- Graphics, 285
- Graphics3D, 288
- GraphicsComplex, 306
- Graphs
 - adjacency, 65–66
 - adjacency matrix of, 144
 - adjacency structures, 188
 - counting edges incident to vertex, VertexDegree, 194
 - deleting self-loops, 195
 - density of, 54
 - directed acyclic (DAGs), 189, 199
 - highlighting parts of, HighlightGraph, 68, 189, 240
 - neighborhood of vertex, NeighborhoodGraph, 188–189
 - power grid as, 65–66
 - protein–protein interactions, 193
 - random, $G(n, m)$, 40–41
 - random, $G(n, p)$, 205–206, 216
 - random walk on, 205
 - regular, 204
 - test for connected, ConnectedGraphQ, 50
- Greater (>), 51
- GreaterEqual (\geq), 51
- Greatest common divisor, 174
- Grid, 63
 - displaying DNA sequences, 276
 - inheriting options from, 276
- GridGraph, 68, 240
- Hamming distance, 190, 204
 - efficiency issues, 364
- Hamming (regular) numbers, 188
- Hamming weight, 48
- HASKELL programming language, 133
- Head, 20
- Heron’s formula for triangle area, 143
- Hexadecimal values, 246
- Hexagonal lattice, 312
- HighlightGraph, 68, 189, 240
- Hilbert matrices, HilbertMatrix, 14, 215
- Hold attributes, 55
 - HoldAll, 369
 - HoldForm, 29
- Hollerith, Herman, 19
- Horner’s method,
 - for polynomial multiplication, 186

- Hyperlinks, creating from associations, 88
- Hypocycloids, 320, 341
 - dynamic visualization of, 323–324
- IdentityMatrix, 235
- If, 159
- Im, 35
- Images
 - convolving, ImageConvolve, 297–298
 - dimensions of, ImageDimensions, 160
- Immediate assignment, Set (=), 43
- Imperative style of programming, 5–6
- Importing
 - CSV files, 118, 193, 219
 - FASTA files, 273, 318, 341
 - SDF files, 325
 - spreadsheets (.xlsx), 202
 - time series data, 125, 130, 219, 232
- Incenter of triangles, 292
- Indexed functions, MapIndexed, 182
- InfiniteLine, 338
- Infix notation, 13
- Information
 - about built-in functions, 16
 - documentation, 17
- Information theory, 41
- Initialization cells, 388
- Inner products, Inner, 141
- InputForm, 27
 - of plots, 122, 289
 - of strings, 244
- Insert, 77
- Installing packages, 388
- Integer lattice, 69
- IntegerDigits, 3
- Integers, 34
 - extracting digits of, IntegerDigits, 3, 37
 - random, RandomInteger, 38
 - reversing digits of, 3
 - testing for, IntegerQ, 50
- Interactomes, 193
- InterpolatingFunction, 362
- Interpolation, 362
- Interpreted languages, 6
 - Interrupting calculations, 15–16
 - Intersection of lists, Intersection, 80
 - Iteration
 - convergence problems, 149
 - fixed point, FixedPoint, 148
 - functions of two arguments, Fold, 150
 - graphics objects, 147
 - of functions, 146
 - of symbolic expressions, 147
 - Sierpiński triangle, 151
 - with conditions, NestWhile, 149
 - Iterator lists, 61
 - Iterators, multiple, 62
 - Jacobian matrix, 146
 - Jacquard loom, 19
 - JAVA programming language, 6, 133
 - compared with Mathematica, 90
 - Join, 80
 - Josephus, Flavius, 191
 - Josephus problem, 191, 204
 - Julia, Gaston, 378
 - Julia sets, 376
 - Kashi Vishwanath, 157
 - Keys, 85
 - KeySort, 87
 - Klee, Paul, 284
 - Knuth, Donald E., 345
 - Lag plots, 230
 - Languages
 - C, 6, 90
 - comparisons between, 90
 - domain-specific, xii
 - FORTRAN, 6
 - HASKELL, 133
 - interpreted, 6
 - JAVA, 6, 90, 133
 - LISP, 133, 208
 - PERL, 6, 261
 - PYTHON, 6, 133
 - SCHEME, 133
 - Last, 74

- Lattices
 - hexagonal, 312
 - random walk on, 234
 - three-dimensional, 312
 - visualizing integer, 69
- LaunchKernels, 366
- Leading digits problems, 82–83, 144
- Length
 - of data, 193
 - of expressions, Length, 23
 - of lists, Length, 70
- Less (<), 51
- LessEqual (\leq), 51
- LetterCharacter, 256
- LetterQ, 245
- Levels of expressions, Level, 26
- Lighting, 326–327
- LinearModelFit, 125
- LISP programming language, 133, 208
- Listability, 55, 139, 355
 - of built-in functions, 74
 - of compiled functions, 374
 - setting attribute, 57, 160, 356
- Listable, 55
- ListLinePlot, 64
- ListPlot, 64
- Lists
 - applying functions to, 74
 - compared with arrays in other languages, 90–91
 - comparison with pointers in C, 79
 - complement of, Complement, 80
 - component assignment, 78, 83, 214
 - constructing, 60
 - converting to associations, 85
 - counting frequency of elements in, 70
 - deleting duplicates, DeleteDuplicates, 80
 - depth of, ArrayDepth, 71
 - display of, 63
 - dropping elements, Drop, 74
 - elements of, 60
 - flattening, Flatten, 77
 - inserting elements, Insert, 77
 - internal representation, 60
 - intersection of, Intersection, 80
 - iterators for, 61
 - joining, Join, 80
 - measuring length of, Length, 70
 - nested, 62
 - operations compared with strings, 249
 - partitioning, Partition, 76
 - permuting elements of, 174
 - position of elements in, 70
 - removing elements of, Delete, 74
 - replacing parts of, ReplacePart, 77
 - reversing order of, Reverse, 76
 - rotating elements, RotateLeft, 76
 - sorting, Sort, 75–76
 - sorting, with rules, 123
 - syntax of, $\{\}$, 60
 - taking sublists, Take, 73
 - testing for, ListQ, 50
 - testing for membership in, MemberQ, 69
 - transposing elements, Transpose, 77
 - union of, Union, 80
 - visual representation, TreeForm, 71
- Loading packages
 - Get, 380
 - Needs, 380
- Localization of
 - constants, With, 212
 - names, Module, 210
 - values, Block, 212
- Location of packages, 381
- Locators
 - create on click, LocatorAutoCreate, 295
 - Locator, 295
 - panes for, LocatorPane, 300
- Logarithm, properties of, 49
- Logical operators, 52
 - Venn diagrams, 316, 339–340
- Lookahead/lookbehind constructs, 263
- Lookup, 85
- Loops
 - counting iterations, 171
 - deleting in graphs, 195
 - Do, 166
 - Do vs. Table, 174–175

- Loops (continued)
 - efficiency issues, 351
 - For, 166, 224
 - printing intermediate values, 168, 171
 - While, 169
- LowerCaseQ, 245
- Lucas, Édouard, 157
- Lucky numbers, 239

- Machine numbers, 34
- Mandelbrot set, 372
- Manipulate, 293
- Map (/@), 134
- MapCompileLength, 362
- MapIndexed, 182
- Mapping
 - at different levels, 136–137
 - over expressions automatically,
 - Listable, 139
 - pure functions, 177
- MapThread, 137, 190
- Markov models, 205
- MatchQ, 96
- Matrices
 - adjacency, 144–145
 - binary, 199, 367
 - column means of, 196–198
 - condition number of, 215, 241
 - conjugate transpose, 30–31
 - displaying with MatrixForm, 63
 - Hilbert, 14, 215
 - inserting columns and rows, 83
 - Jacobian, 146
 - multiplication of, 144
 - nilpotent, 189
 - Pascal's, 68
 - powers of, 14
 - spectral norm of, 30–31
 - swapping rows and columns, 83, 214
 - testing for square, 102, 143
 - testing for symmetry,
 - SymmetricMatrixQ, 50, 65
 - transition probability, 205
 - triangular, 66, 172, 213
 - Vandermonde, 146
 - visualizing, MatrixPlot, 64
- MatrixForm, 63
- MaxRecursion, 339

- Median, 173, 204
- MemberQ, 69, 184
- Merge sort, 125
- Mersenne prime numbers, 142
 - computed using prime exponents, 146
- Mesh, 314–315
- MeshFunctions, 314–315
- MeshPrimitives, 313
- Messages
 - error and warning, 220
 - in packages, 387
 - issuing, Message, 221
 - multiple associated with symbol, 222
 - switching on and off, 358
 - templates for, 220
- Midpoints, of triangle sides, 179
- Missing data, 126
- Module, 210
 - compared to With, 213
- Monte Carlo algorithms
 - used to approximate π , 207, 365, 371–372
- Most, 74
- Moving averages, 143, 371
 - exponential, 187
- Multi-objects, 303
- Multi-threaded computation, 368
- Multiplication, by binary exponentiation, 151

- N-grams, 84, 255
- Named patterns, 107
- Names, 184, 381
- Natural language processing
 - comparing punctuation in corpora, 280
 - converting contractions, 264
 - distribution of sentence length, 260
 - distribution of word length, 260
 - energy content in, 41
 - finding unique words in corpora, 260
 - letter frequency analysis, 254
 - measuring complexity of texts, 260
 - n-grams, 84, 255
 - pluralizing words, 266
 - stop words, 267
 - text comparison, 371
 - word collocation, 280
- Natural numbers, 54
- Nearest neighbor algorithm
 - used to solve TSP, 207

- Needs, 380
- Nested lists, 62
- Nesting functions
 - Nest, 146
 - NestList, 146
 - NestWhile, 149, 183
- Networks
 - power grid, 65
 - protein–protein interaction, 193
- Newton’s method for finding roots, 166, 183
- Nilpotent matrices, 189
- Norm, 31, 185
- Normal expressions, 22
- NormalDistribution, 39
- Normality of digit sequences, 40
- Notebook interface, 8
- Nucleotide sequences
 - aligning, 318
 - analyzing frequency in DNA, 143–144
 - bases used in, 269
 - displaying, 275
 - GC ratios, 272
 - n-grams in, 255
 - visualizing with dot plots, 317
 - window (or block) size, 274
 - word length, 143–144
- NumberForm, 40
- NumberQ, 36
- Numbers
 - binary representation, 48
 - Champernowne, 49
 - complex, 35
 - composite, 129, 185
 - concatenating, 49
 - constants, 36
 - controlling display of digits in, 40
 - converting between bases, 186
 - display of approximate, 27
 - Eulerian, 158–159
 - explicit vs. implicit, 36–37
 - extracting digits of, 37
 - Fibonacci, 82, 152
 - Hamming (regular), 188
 - Hamming weight of, 48
 - integers, 34
 - leading digits of Fibonacci, 144
 - lucky, 239
 - machine, 34
 - Mersenne, 142
 - Mersenne prime, 146, 371
 - natural, 54
 - perfect, 50–51, 143, 216, 371
 - periodicity of digits in, 41
 - rational, Rational, 34, 48, 57
 - real, 34
 - relatively prime, CoprimeQ, 54
 - rep units, 186
 - Smarandache–Wellin, 49, 253
 - Smith, 240
 - square, 54, 185
 - square palindrome, 365
 - square pyramidal, 84
 - square triangular, 54
 - triangular, 54, 363
 - weighted random, 71
- NumberString, 257
- NumericQ, 36–37

- OddQ, 50
- Off, 358
- On, 358
- Opacity, 288
- Operators
 - bit, 53
 - infix notation for, 13
 - logical, 52
 - postfix notation for, 13
 - precedence of, 51
 - prefix notation for, 13
- Options, 217
 - argument structure, OptionsPattern, 218
 - defined in packages, 387
 - extracting values of, OptionValue, 218
 - finding all functions with given, 188
 - for graphics, 287
 - inheriting, 276, 315, 341
 - syntax of, 217
- Or (||), 52
- OrderedQ, 268
- Orthocenter of triangles, 292
- Outer products, Outer, 141
- Outliers, removing from data, 108–109, 110, 117
- Output, how to refer to, %, 9
- OutputForm
 - of numbers, 27
 - of strings, 244

$\mathcal{P} = \mathcal{NP}$, 343

Packages

- beginning, `BeginPackage`, 386–387
- built-in, 380
- deployment/installation of, 388
- displaying names of functions in, `Names`, 381
- distributing across kernels, `ParallelNeeds`, 370
- ending, `EndPackage`, 387
- finding location of (`FindFile`), 382
- framework for, 382, 386
- loading, `Get` vs. `Needs`, 380
- location of, 381
- location of initialization file for, 382
- messages defined in, 387
- options defined in, 387
- search path for (`$Path`), 381
- testing of, 391
- tips for developing, 388

Packed arrays, 356

- converting to, `Developer`ToPackedArray`, 360
- size of, 357
- testing for, `Developer`PackedArrayQ`, 357
- unpacking, 358

Padé approximants, 378

Palindromes, 2

- words of length n , 260
- square, 365
- string, 253

Panel, 299

Parallel assignments, 214

Parallel computation, 5, 366

- closing kernels, `CloseKernels`, 367
- computations that do not parallelize, 368
- distributing definitions, `DistributeDefinitions`, 370
- distributing package definitions, `ParallelNeeds`, 370–371
- graphical user interface for, 367
- launching kernels, `LaunchKernels`, 366
- methods for, 368
- with compiled functions, 374
- `$ProcessorCount`, 366

Parallelize, 368

ParallelMap, 368

ParallelTable, 377

ParametricPlot, 321

Partitioning

- lists, `Partition`, 76
- lists of vertices, 334
- strings, 270

Parts of expressions, `Part`, 24–25

- shorthand notation, `[[...]]`, 72

Pascal's matrix, 68

Password generator, 270

Pattern matching, efficiency of, 348

Patterns, 96

- alternatives in, `|`, 105
- conditional, 102
- finding expressions that match, `Cases`, 97
- function arguments as structured, 270
- in function definitions, 42, 98
- labeled in transformation rules, 112
- matching, `MatchQ`, 96
- matching deeply nested expressions, 101
- matching sequence of expressions, 100
- named, 107
- regular expressions, 261
- repeated, 105
- string, 255
- structured, 98
- syntactic vs. semantic matching, 99, 105

Percolation, bond, 240

Perfect numbers

- searching for, 143, 216
- searching for in parallel, 371
- tests for, 50–51

Perimeter, triangle, 118

PERL programming language, 261

Permutation ciphers, 251–252

Permutations, 174

- inverse, 174
- of strings, 251

Permutations, 252

- Pi(π)
 - approximating by Monte Carlo
 - simulation, 207, 365, 371–372
 - finding sequence of digits in, 258
 - normality of digits of, 40
 - playing digits of, 189
 - random walks on digits of, 291, 313
- Pick, 142, 195
- Piecewise, 162
- Piecewise-defined functions, 49, 175
- Player pianos, 19
- Plot
 - adaptive sampling used in, 289
 - structure of, 122, 288
- Points
 - collinear, 291
 - in polygons, 332
 - multi-objects, 303
- Polar angles,
 - converting to Cartesian coordinates, 187
- Polygons
 - convex, 332
 - in hexagonal lattice, 312
 - nonconvex, 335
 - points in, 332
- Polynomials
 - fast multiplication with Horner's
 - method, 186
 - plotting complex solutions of, 339
- Position, 70, 108
- Postfix operators, 13
- Power grid, as graph, 65
- Precedence of operators, 51
- Precision
 - fixed, 212
 - in numbers, Precision, 34
- Predicates, 49
 - as pure functions, 180
 - creation of, 50–51
 - for filtering data, 142
 - multiple tests with, 104
 - two-argument form, 50
- Prefix operators, 13
- Prepend, 77
- Prime numbers
 - gaps in, 71
 - less than a number, PrimePi, 82, 225
 - Prime, 82
 - sieving, 223, 351
 - testing for, PrimeQ, 50
- Print, 6, 171
- Private context (Private`), 387
- Private functions, 237, 379, 387
- Profiling, 354, 368
- Programming
 - comparing styles of, 5, 346
 - declarative style of, 6
 - dynamic, 155
 - functional, 133
 - history, 19
 - imperative style of, 6
 - modularity in, 196
 - tasks in, 7
- Programs
 - adding comments to, 14
 - bad input in, 3, 221
 - choosing efficient approaches, 346
 - computational complexity, 124–125
 - evaluation of, 6
 - parallel, 366
 - parallelizing, 5
 - profiling, 354, 368
 - testing efficiency of, 4, 345
- Protected, 56
- Proteins
 - interaction networks, 193, 205
 - visualizing with dot plots, 317, 341
- Public functions, 237, 379, 387
- Pure functions
 - built-in, 362
 - efficiency of, 361
 - listable, 356
 - mapping, 177
 - multiple arguments, 179
 - predicates, 180
 - syntax of, 176

- QuantityMagnitude, 326
- Quitting the kernel, `Quit`, 391
- Radius of gyration tensor, 226
 - symbolic vs. numeric, 353
 - visualization of, 229, 342
- Random graphs
 - $G(n, m)$, 40–41
 - $G(n, p)$, 205–206, 216
- Random musical notes, 206
- Random numbers
 - biasing distributions of, 41
 - creation of, 38
 - from distributions, 38–39
 - weighting choices, 71
- Random sampling
 - with replacement,
 - `RandomChoice`, 32, 39, 83, 269
 - without replacement,
 - `RandomSample`, 39, 269
- Random strings, 269
 - weighted, 279
- Random walks, 233
 - animation of, 302
 - center of mass, 226
 - characterization of, 226–227
 - dynamic interfaces for, 302
 - full package for, 389
 - off-lattice, 237, 240
 - on digits of π , 291, 313
 - on graphs, 205
 - on integer lattice, 216, 233
 - one-dimensional, 32
 - two-dimensional lattice, 186
 - visualization of, 32, 106, 110
- `RandomChoice`, 32, 39, 83, 269
- `RandomComplex`, 38
- `RandomInteger`, 38
- `RandomReal`, 38
- `RandomSample`, 39, 269
- `RandomVariate`, 38–39
- Range, 60
- Rational numbers, 34, 48, 57
- `Re`, 35
- Real numbers, 34
- `RealDigits`, 37
- Reciprocals, 48, 57
- Recursion, 152
 - dynamic programming, 155
 - limiting levels of in computations,
 - `$RecursionLimit`, 156–157, 212
 - multiple arguments in functions defined
 - with, 154
 - tail, 153
- `ReflectionTransform`, 290
- `RegionMemberFunction`, 363
- `RegionPlot`, 316–317
- Regions
 - centroids, `RegionCentroid`, 180, 287
 - centroids of clustered data, 201–204
 - efficiency of `RegionMember`, 362–363
 - finding boundary of, `RegionBoundary`, 120
 - measuring arc length in,
 - `RegionMeasure`, 120
 - membership in, `RegionMember`, 335–336
 - point closest to line, `RegionNearest`, 338
 - polygonal, 335
- Regular expressions, 261
 - classes of characters in, 262
 - lookahead/lookbehind, 263
 - mixing with string patterns, 262
 - referring to patterns in, 263
 - `RegularExpression`, 261
- Regular graphs, 204
- Relational operators, 51
- `ReleaseHold`, 29
- Rep units, 186
- `Repeated` (.), 105
- `RepeatedNull` (...), 105
- `ReplacePart`, 77, 113
- `Rest`, 74
- `Reverse`, 76, 135
- Root finding
 - Newton's method, 166
 - secant method, 174
- Root plots, 314
 - complex values in, 339
- `Rotate`, 147
- `RotateLeft`, 76, 192
- `RotateRight`, 76
- `Rotoreliefs`, 302
- `Row`, 64, 89
- Rows of matrices, swapping, 214
- Rules, delayed, `RuleDelayed` (\rightarrow), 112

- SameQ (===), 35, 190
- Sapir–Whorf hypothesis, xii
- Scatter plots, 116
- SCHEME programming language, 133
- Schwabe, Samuel Heinrich, 131
- Scoping, 210
 - graphics directives, 286
 - localization of constants, With, 212
 - localization of names, Module, 210
 - localization of values, Block, 212
- SDF file format, 325
- Select, 142, 195
- Selectors, 35
- Semantic vs. syntactic pattern matching, 99, 105
- Semantics, definition of, 20
- Semordnilaps, 260
- Sentences, length of, 260
- Sequences, 100
 - finding subsequences within, 130, 216, 258
- Serotonin, 325
- SessionTime, 305
- Set (=), 43
- SetAttributes, 56, 140
- SetDelayed (:=), 44
- SetSystemOptions, 358, 362
- Shannon, Claude, 41
- Short, 289
- Shortest path problems, 331
- Shorthand notation
 - &&, And, 51–52
 - @@, Apply, 136
 - @@@, Apply at level one, 137
 - /;, Condition, 102
 - &, Function, 176
 - /@, Map, 135
 - ||, Or, 52
 - ;;, Span, 72
 - ~~, StringExpression, 256
 - <>, StringJoin, 248
 - [[...]], Part, 25, 72
- Show, 290, 322–323
- ShowStringCharacters, 89
- Sierpiński triangle, 151
- Sieving algorithms
 - Eratosthenes, 223
 - improving efficiency of, 351–352
 - used to find lucky numbers, 239
- Sign function, Sign, 172, 348
- Signal processing
 - Hamming distance, 190
 - removing spikes, 181
 - smoothing noise, 371
- Signed area, of triangles, 121, 333
- Simple closed paths, 328, 341, 342
- Sin, dynamic visualization of, 302
- Sinc, 185
- Slider, 298
- Slider2D, 294, 377
- Smarandache–Wellin numbers, 49, 253
- Smith numbers, 240
- Software development, 7
- Sort, 75–6, 124, 135
- SortBy, 75–76, 194
- Sorting
 - associations, 87–88
 - basic algorithm for lists, 123
 - bubble sort, 124
 - canonical order for, 75
 - computational complexity of, 124–125
 - elements of nested lists, 135
 - lists, 75–76
 - mathematical constants, 124
 - merge sort, 125
 - points in plane by polar angle, 329–330
- Space-filling plots, 324, 342
- Span (; ;), 72
- Sparse arrays, 22
 - converting to normal form, 67
 - creating, SparseArray, 67
 - efficiency issues, 349
- Spectral norms, 30–31
- Specularity, 326–327
- Sphere, 288
- Sphere stacking, 84
- Spikes, removing in data, 180–181
- Square matrices, 102–103, 143
- Square numbers, 54, 185
- Square palindromic numbers, 365
- Square pyramidal numbers, 84
- Square triangular numbers, 54
- Standard deviation, 186
 - visualization of, 292
- Stem plots, 218–219
 - package for, 393

- Stop words, 267
- StringCases, 256
- StringCount, 248
- StringDrop, 84, 248
- StringExpression (~), 256
- StringInsert, 84, 248
- StringJoin (<>), 84, 248
- StringMatchQ, 256
- StringPosition, 248, 257
- StringReplace, 114, 249
- StringReplacePart, 277–278
- StringReverse, 84, 248
- Strings, 243
 - alternatives in patterns, 259
 - binary representation, 40
 - character codes, 245
 - characters in, Characters, 249
 - codes for non-English languages, 246
 - concatenating, StringJoin, 248
 - converting to Ascii, ToCharacterCode, 246
 - digits in, DigitCharacter, 257
 - encoding, 250
 - internal algorithms, 249–250
 - length of, StringLength, 249
 - n-grams, 255
 - naming patterns in, 257
 - numbers in, NumberString, 257
 - operations compared with lists, 249
 - operations on, 248
 - output form, 27, 244
 - padding, 255
 - partitioning, 270
 - patterns for, 255
 - random, 269
 - random (weighted), 279
 - regular expressions for, 261
 - rotating, 253
 - splitting into words, TextWords, 83–84
 - tallying character counts, 254
 - testing for, StringQ, 50
 - tests on, 245
 - transposing, 253
 - trimming, 249
 - Unicode of, 246
- StringSplit, 258
- StringTake, 248
- StringTrim, 249
- Structured patterns, 99–100, 270
- Sturmian words, 255
- Style, 88–89
- Subsets, 179, 338, 365
- Sum, 347–348
- Sunspot activity, 125, 232
- Surfaces, visualizing intersection of, 339
- SwatchLegend, 219
- Switch, 164–165
- Symbolic computation,
 - compared with numeric, 309
- SymmetricMatrixQ, 50, 65
- Syntax
 - alternate forms, 13
 - definition of, 19
- SystemOptions, 357–358
- Table, 61
 - creating nested lists with, 62
- TableForm, 63
- Tabs, in strings (\t), 168
- Take, 73
- Tao, Terrence, 93
- Templates, for messages, 220
- Text analysis
 - cleaning transcribed audio, 267
 - punctuation counts in, 280
 - stop words, 267
- TextCell, 89
- TextSentences, 260
- TextWords, 84, 260
- Thread, 137
- Time series
 - changing window, TimeSeriesWindow, 127
 - converting expressions to, 126
 - creating from data, 232–233
 - differences from mean in, 130
 - finding peaks, FindPeaks, 127–128
 - importing data as, 125, 130, 219, 232
 - lag plots, 230
 - plotting, DateListPlot, 127
 - TimeSeries object, 126
 - visualizing autocorrelation in, 230

- Timing
 - different measures of, 363
 - granularity, `$TimeUnit`, 305
 - kernel vs. front end, 305
 - measuring on multi-threaded machines, 355
- ToBoxes, 309
- ToUpperCase, 249
- Tower of Hanoi, 157
- Tracing
 - evaluation, 30, 192
 - localized variables, 210–211
 - recursive computation, 153
- Transformation rules, 111
 - applied repeatedly, 113
 - Cartesian product example, 115
 - compared with assignments, 111
 - counting change example, 116
 - delayed, 112
 - dice visualization example, 115
 - evaluation order of, 265
 - labeled patterns with, 112–113
 - syntax of, 111
 - with strings, `StringReplace`, 114
- Transformations, geometric in graphics, 290
- Transition probability matrix, 205
- Translations, of graphics, `Translate`, 148
- Transposing
 - expressions, `Thread`, 137
 - lists, `Transpose`, 77
 - procedural definitions for, 174–175
 - strings, 253
- Traveling salesman problems, 207, 303, 331, 343
- TreeForm, 25–26, 71
- Triangles
 - altitude of, 342
 - area of, 121, 333
 - center of mass (centroid), 179
 - centers of, 292, 337
 - circumcenter, 292, 342
 - dynamic, 295
 - equilateral, 216
 - Euler line, 342
 - graphics primitive, `Triangle`, 284
 - Heron's formula to find area of, 143
 - incenter, 292
 - medians, 179, 286
 - midpoints of sides, 179
 - orthocenter, 292
 - perimeter of, 118
 - perpendicular bisectors, 338
 - signed area, 121, 333
- Triangular numbers, 54, 363
- Truth tables, 52, 206, 239
- Tryptophan, 327
- Turing, Alan, 215
- Unicode, 246
- Unequal, `#`, 51
- Union, 80
- Units, `QuantityMagnitude`, 326
- Unprotect, 56
- Upper-triangular matrices, 172
 - efficient generation of, 349–350
- Usage messages, 220,
 - in packages, 387
- Values, 85
- van der Waals radius, 325–326
- Vandermonde matrix, 146
- Variables, definitions for, 41
- Vectors
 - testing for, `VectorQ`, 50
 - visualization of arithmetic on, 302–303
- Venn diagrams, 316, 339–340
 - dynamic interface for, 340
- VertexCoordinates, 325
- VertexCount, 54
- VertexDegree, 194
- VertexTypes, 325
- Virtual machine, compilation to, 373
- Vowels, finding words containing, 266
- Warning messages, 220, 387
- Web pages, scraping data from, 257, 266
- Weisstein, Eric, 199
- West, Mae, 284
- Which, 162
- While, 169

- With, 212
 - compared to Module, 213–214
- Wolfram Language, xv
- Word games
 - anagrams, 252, 280, 364
 - blanagrams, 277, 369
 - palindromes, 253
 - semordnilaps, 260
- Word length, in nucleotide sequences, 143–144
- Words
 - abecedarian, 268
 - collocation of, 280–281
 - finding unique in text, 260
 - in dictionary, 187
 - length of, 260
 - pluralizing, 266
 - stop, 267
 - Sturmian, 255
 - vowels in, 266
- Xor ($\underline{\vee}$), 52–53
- Xor cipher, 40, 247
- Zhang, Yitang, 93
- \$BaseDirectory, 381
- \$Context, 383
- \$MaxPrecision, 212
- \$MinPrecision, 212
- \$Path, 381
- \$ProcessorCount, 366
- \$UserBaseDirectory, 381